

INDUSTRIAL TRAINNING REPORT

SANTOMAS SDN.BHD
LOT 15, KAWASAN MIEL, KULIM INDUSTRIAL ESTATE, 09000, KEDAH

NAME: : NG CHENG YEAN
ADDRESS: :NO 45, CHANGKAT SUNGAI ARA 4, SUNGAI ARA,
11900 BAYAN LEPAS, PENANG.
TRAINNING PERIOD: 06/04/09 – 03/07/09

ACKNOWLEDGEMENT

The author would like to take this opportunity to thank those who helped to complete the attachment program in Santomas Sdn Bhd.

The author is most grateful to Ms Lim Iye Suan , the supervisor of this attachment program in Santomas Sdn. Bhd. She have guided the author step by step, gave advises and most of all, sacrificed her time to discuss with the author.

Beside, the author likes to thank Mr. Michele and Mr. Yusri who helped to complete the project during attachment program in Santomas Sdn. Bhd.

The author is also so grateful of the support and help from all the staff in Santomas Sdn. Bhd. Besides, the author also like to thank all her friends and those who help the author.

Thank You

CONTENT

CHAPTER	TOPIC	PAGE NO
	Front Page	
	Dedication	i
	Acknowledgement	ii
	Figure List	iii
	Table List	vi
CHAPTER 1	INTRODUCTION	
1.1	Introduction	1
1.1.1	Industrial Attachment Objective	2
1.2	Introduction to Santomas Sdn.Bhd	2
1.3	Santomas Customer	3
1.4	Santomas Organization Chart	4
1.5	Material / Resin Manufacturing	4
1.6	Quality Control Level	5
1.7	Santomas Injection Machine	6
1.8	Santomas measurement equipment	6
1.9	Santomas Product	7
1.10	Safety and health policy	10
1.11	Environmental Policy	11
CHAPTER 2	ACTIVITY SUMMARY	
2.1	Introduction	12
2.2	Activity Summary	13

CHAPTER 3 INJECTION MOULDING PROCESS

3.1	Introduction to injection moulding process	17
3.1.1	How are injection molded plastic parts made	19
3.1.2	Injection molding process flow chart	20
3.1.3	Process of Injection Moulding	20
3.1.4	Set up for moulding conditions	21
3.1.5	Injection Moulding machine Overview	22
3.2	Arrange material to machine procedure	23
3.3	Machine Set up process	23
3.3.1	Up and Down Mold procedure	24
3.3.2	Material Preheating Using Oven and Hopper	27
3.3.3	Proper procedure for hopper cleaning	28
3.3.4	Start and shutdown machine	30
3.3.5	General Mould Construction	33
3.3.6	Injection Moulding Machine Component	35
3.3.7	troubleshooting	41
3.4	Injection moulding Procedure in Santomas	44
3.5	Production Process Quality Control in Santomas	44
3.5.1	Part Inspection flow in Santomas	47
3.5.2	Handling of Internal Non-conformity flow	48

CHAPTER 4 WORK INSTRUCTION BY PRODUCT

4.1	Introduction	51
4.2	Work Instruction by product in Santomas Sdn.Bhd.	52
4.2.1	CAM Assembly Instruction (WI-011)	52
4.2.2	Body Sign Pen Packing Procedure (WI-012)	53
4.2.3	Up and Down Mold Procedure (WI-027)	54
4.2.4	Full Checking Procedure (WI-029)	57
4.2.5	Packing Procedure (WI-030)	58
4.2.6	General Part Weighing for small part (WI-033)	59

4.2.7	Magnet Inserting procedure (WI-037)	60
4.2.8	De-Gating for Inner cap B (WI-076)	61
4.2.9	Stop Machine Procedure (WI-069)	62
4.2.10	Gate Cut Method (WI-077)	63
4.2.11	Tape peel Off Test (WI-118)	64

CHAPTER 5 TECHNICAL DRAWING AND GDT

5.1	Introduction to Technical Drawing	67
5.1.1	The Layout of an engineering drawing	69
5.1.2	Drawing Scale	70
5.1.3	Types of line	71
5.2	3 – Dimensioning drawing (3D)	74
5.2.1	Axonometric Projection	74
5.2.2	Oblique Projection	74
5.2.3	Perspective Projection	76
5.2.4	Various View of 3- Dimensioning (3D) object	76
5.2.5	Principles of Projection	77
5.2.6	Orthographic or Multiview drawing	78
5.2.7	First Angle and Third angle projection	80
5.3	Introduction to Tolerances: Fit and Limit	85
5.3.1	Notes referring to specific conditions	86
5.3.2	Important Term – single Part	87
5.3.3	Shaft and Holes fit	89
5.3.4	Basic Hole system or hole basis	90
5.4	Geometric Dimensioning and Tolerance (GDT)	91
5.4.1	How GDT used in manufacturing company	92
5.4.2	Datum feature Vs Datum Plane	93
5.4.3	Datum Reference frame	94
5.4.4	Symbols, Rules and Guidelines	95
5.4.5	Tolerance zone type	97
5.4.6	Location Tolerance	98
5.6	MMC and LMC	103

FIGURE LIST

FIGURE	TITLE	PAGE NO.
1.1	Overview of Santomas Sdn.Bhd.	2
1.2	Santomas Organization Chart	4
1.3	Santomas Injection Machine	5
1.4	Santomas Measurement Equipment	6
1.5	Santomas Product	7
3.1	Material (Resin)	18
3.2	The Injection Moulding Machine	18
3.3	The Plastic Injection Mold	19
3.4	Injection Moulding Process Flow Chart	20
3.5	Injection Moulding Machine overview (1)	22
3.6	Injection Moulding Machine Overview (2)	22
3.7	Original Bag	28
3.8	SSB Bag	28
3.9(a)	Hopper	29
3.9(b)	Hopper	29
3.10	Hopper Cleaning	30
3.11	Basic Mould consisting of cavity and core plate	33
3.12(a)	Sprue Bush	34
3.12(b)	Sprue, runner, gate and part	34
3.13	Runner discarded after part complete	34
3.14	Injection Moulding machine	35
3.15	Feeding zone, Transition zone and metering zone	36
3.16	Nozzle with barrel in processing position	37
3.17	A typical (three-plate) moulding system	38
3.18	Two Plate Mould	38
3.19	Three Plate Mold	39
3.20	The Molded system	40
3.21	Injection moulding procedure in santomas flow chart	44

3.22	Process flow chart for on-line audit	45
3.23	Part inspection flow in Santomas	47
3.24	IPQC Memo	49
3.25	Process Flow Chart	50
4.1	CAM Assembly Instruction	53
4.2	Body Sign Pen packing procedure	54
4.3	Up and Down Mold Procedure	56
4.4	Daily Full Check 100% record	58
4.5	Part Weighing	59
4.6	Packing step	59
4.7	Weighing Machine	60
4.8	Magnet Inserting	61
4.9	De-gating procedure for inner cap	62
4.10	Stop Machine procedure	62
4.11	Gate cut method	64
4.12	Tape peel off test	74
5.1	Title Block	69
5.2	Type of line	71
5.3	Cutting plane	73
5.4	Oblique projection	76
5.5	Perspective projection	76
5.6	Principles of projection	77
5.7	Glass Box concept	88
5.8	Unfold the glass box	79
5.9	Multi-view Drawing	79
5.10	Example of transferring 3D to 2D drawing	80
5.11	The angles formed between the horizontal and the vertical planes	81
5.12(a)	First angle projection and third angle projection	81
5.12(b)	Symbol size	82
5.13	Object place on the horizontal plane	82
5.14	First angle projection	83
5.15	Third angle projection	84
5.16	Object placed on horizontal plane in third angle	

	Projection	85
5.17	Fitting dimension	86
5.18	Example of fitting dimension	87
5.19	Fitting multiple part	88
5.20	Shaft and holes fit	89
5.21	Basic holes system	90
5.22	Feature control symbol	91
5.23	How GDT used in a manufacturing company	92
5.24	Datum	93
5.25	Datum feature Vs datum plane	93
5.26	Datum plane Vs datum axis	94
5.27	Datum reference frame	94
5.28	Symbol, rules and guidelines	96
5.29	Tolerance zone type	97

TABLE LIST

TABLE	TITLE	PAGE NO.
3.1	Set up for moulding conditions	21
3.2	Drying guide for plastic material	28
3.3	Part Defect and causes solution	44
3.4	In-process inspection record and troubleshoot record	48
5.1	ISO Drawing Size	69
5.2	US Customary Drawing size	69

BAB 1

INTRODUCTION

1.1 Introduction

Program *Sangkutan Industri Pensyarah* (SIP) is a newly program introduced by *Jabatan Pengurusan Politeknik & Kolej Komuniti* (JPPKK). This program gives the opportunity to the lecturer in polytechnic and kolej community to undergo for three months industrial attachment at private sector. The purpose of this program is to let the lecturer in polytechnic and kolej community to involve into the industrial environment. At the same time gives the lecturer to learn and to gain knowledge and more experience. Furthermore, it can help the lecturer to learn the new technology which is apply in the market nowadays. So, it can automatically help in learning and teaching at polytechnic in future.

1.1.1 Industrial Attachment Objective

The objective of Program *Sangkutan Industrial Pensyarah* are as below:

- ❖ To provide sufficient and competent staff.
- ❖ To produce quality graduates through dynamic and relevant educational and training programs in line with the needs of the industries and technology development.

1.2 Introduction to Santomas Sdn.Bhd.

SANTOMAS SDN BHD is a manufacturer of precision engineering plastic parts for office automation equipment's, audio and video mechanism and camera industries. Santomas malaysia is incorporated in 9th July 1990 and production operation is on June 1990.




Figure 1.1: Overview of Santomas Sdn Bhd.

The company detail is shown as below:

Factory Location : Lot 15, Kawasan MIEL, Kulim Phase 1,
Kulim Industrial Estate, 0900, Kulim, Kedah.
Tel. No. : 04-489 2076
Fax No. : 04-489 1758
Email : ssbm@santomas.com.my

Factory Premises : Approximately 40,650 sqr ft
Paid-Up Capital : RM 2, 812, 500
Authorized Capital : RM 5, 000, 000
Investment Amount : RM 8, 800, 000
Turn Over (2004) : RM 15, 000, 000
Sales in 2005 : RM 19, 000, 000 (Budget)
Manpower : 150 Persons

1.3 Santomas Customer

Santomas customer are as listed as below:

- ❖ Canon Opto / Kuala Lumpur
- ❖ Canon electronic / Prai
- ❖ Shachihata (M) / Johor Bahru
- ❖ Sony Electronic (M) / Prai
- ❖ Toshiba (M) / Bayan Lepas
- ❖ Alma / Bayan Lepas
- ❖ Toshiba (s) / Singapore

1.4 Santomas Organization Chart




Figure 1.2: Santomas Organization Chart

1.5 Material Resin / Manufacturing

ABS	<ul style="list-style-type: none">• Technoplas, Toray, Mitsubishi, etc• With Glass up to 20%	
LCP	<ul style="list-style-type: none">• Polyplastics, Dupont• With Glass up to 30%	
PA	<ul style="list-style-type: none">• Dupont, Dalcel, Toray• With Glass up to 43%	
PBT	<ul style="list-style-type: none">• Polyplastics• With Glass up to 30%	
PC	<ul style="list-style-type: none">• Teijin, Mitsubishi• With Glass up to 30%	<ul style="list-style-type: none">• Polyplastics• With Carbon up to 30%
POM	<ul style="list-style-type: none">• Polyplastics, Dupont, Mitsubishi, etc• With Glass up to 25%	<ul style="list-style-type: none">• Polyplastics• With Carbon up to 20%
PP	<ul style="list-style-type: none">• Titan• Without Glass	
PE	<ul style="list-style-type: none">• Titan• Without Glass	

1.6 Quality Control Level

QUALITY EXCELLENT ACHIEVEMENT




Figure 1.3: Santomas Injection Machine

1.7 Santomas Injection Machine

SUMITOMO 180 Ton	SG180MH	1 Units
SUMITOMO 100 Ton	SE100D	2 Units
	SG100H	1 Unit
SUMITOMO 75 Ton	SE75D	3 Units
	SG75M	2 Units
SUMITOMO 50 Ton	SE50D	8 Units
	SG50H	5 Units
SUMITOMO 30 Ton	SE30D	6 Units
SUMITOMO 18 Ton	SE18S	1 Unit
SUMITOMO 15 Ton	M26/15B	1 Unit
Total		30 Units

1.8 Santomas Measurement Equipment










Figure 1.4: Santomas Measurement Equipment

1.9 Santomas Product










Figure 1.5: Santomas Product

1.10 Safety and Health Policy

The management of SANTOMAS SDN BHD is fully committed to safety measures by all means to ensure the safety of the operation activities, property and products. We are upheld with uncompromising integrity.

We are committed:

1. To continue emphasize on the safety and health awareness among the employees
2. To take preventive actions to avoid all risks and hazardous that would endanger the health of our employees in order to protect the company property.
3. To emphasize participant of the employees in safety and health activities.
4. To provide training for the employees to upgrade and enhance their knowledge related to safety and health.
5. To strive for "Zero" accident.

1.11 Environmental Policy

SANTOMAS SDN BHD is a manufacturer of precision engineering plastic parts for office automation equipment's , audio and video mechanism and camera industries. We strive to protect the environment through continual improvement of environmental performance of its activities, product and services. The organization recognizes environmental problem as important issues and adapt proactive approaches in maintaining and continually improving our environmental management system.

We are committed:

1. To comply with all relevant environmental legislation and others requirements.
2. To provide appropriate environment training and education to all employee and contractors.
3. Continual improvement of our existing environmental performance and prevention of pollution.
4. To use the material and natural resources efficiently.
5. To promote re-cycling or re-use in order to reduce the generation of waste and have a proper waste management.
6. To take immediate and prompt action upon evaluation of environment aspects with regards to our environmental policy, objectives and targets.
7. To make our environmental policy available to the public upon formal request.

BAB 2

ACTIVITY SUMMARY

2.1 Introduction

In Santomas Sdn. Bhd. have many departments like HR & Admin, Sales & Marketing, Purchasing Dept., Production, Tooling, Engineering Dept and QA Department. During industrial attachment I was assigned to do the training module for operator and training module for junior technician. In training material for operator are included three sections which are section introduction, section general knowledge, job familiarization and work instruction by product. Besides that, the training material for junior technician are included three section which are section introduction, section injection molding process and technical drawing. In this chapter, it will shows the activity or activity carry on during the industrial attachment.

2.2 Activity Summary

Week	Activity
Week 1 (06/04/09 – 10/04/09)	<ul style="list-style-type: none">❖ Reported to Santomas Sdn. Bhd❖ Orientation week❖ Introduction to Santomas Sdn. Bhd❖ Understanding Company Profile.
Week 2 (13/04/09 – 17/04/09)	<ul style="list-style-type: none">❖ Planning the outline of the training material for operator.❖ Training material for operator will divided into three sections which are general knowledge, section job familiarization and work instruction by product.❖ To get the information on introduction to production department, organization chart, hierarchy and etc.❖ To get the information on safety precaution / Rule and regulation.
Week 3 (20/04/09 – 24/04/09)	<ul style="list-style-type: none">❖ Training on material use or preparation.❖ Training on Machine set up process.❖ To get the information on material use or preparation.❖ To get the information from PIC on the Machine set up process.